

**A Treatise On
ADVANCE
ACUPRESSURE/ACUPUNCTURE
SPECIALISED TREATMENTS OF DIFFICULT & COMMON
DISEASES**

PART – XX

अनुक्रमणिका

<i>विषय</i>	<i>पृष्ठ संख्या</i>
Chapter-1	
Infertility बांझपन :	1
What is Infertility?	
What is primary infertility?	
What is secondary infertility?	
1) Kidney yang deficiency causes infertility with loss of libids, delayed and decreased menstruation with pale menses.	2
2) Kidney yin deficiency causes infertility with early and decreased menses with emaciation and five palm heat.	3
3) Stagnation of liver Qi causes infertility with premenstrual breast distension, decreased and dark coloured menses containing clots or irregular menses.	4
4) Accumulation of internal humid phlegm due to deficiency of spleen causes infertility with delayed menses or amenorrhea, leukorrhea and weight gain.	5
5) Stasis of blood in the uterus causes infertility with delayed and decreased menses or dysmenorrhea, menstrual blood is dark purple with clots.	6
Chapter-2	
Abortion गर्भपात :	10
What is threatened abortion? संभावित गर्भपात क्या होता है?	
What is abortion and spontaneous abortion? गर्भस्राव या बिना किसी प्रत्यक्ष कारण के स्वतः गर्भस्राव हो जाना किसे कहते हैं?	
What is habitual abortion? बार-बार होने वाला गर्भस्राव किसे कहते हैं?	11
1) Deficiency of kidney Qi causes poor nourishment of the fetus and consequent fetal restlessness that may result in threatened	

or spontaneous abortion.	12
2) Deficiency of Qi and blood causes threatened abortion during first trimester with light uterine bleeding, of light coloured and thin blood.	12
3) Heat in blood may lead to threatened abortion with bleeding of bright red blood, fetal unrest and lower abdominal pain .	14
4) Blood stasis with Qi stagnation may lead to threatened or spontaneous abortion due to uterine mass or trauma in pelvic area.	15

Chapter-3

Menorrhagia & Metrorrhagia (अतिरज एवं रक्त प्रदर)	19
Excessive Periods & Flooding	
Aetiology & Pathology रोगकारण विज्ञान एवं कारण निवारण विज्ञान	20
Treatment principles उपचार सिद्धान्त	22
Patterns & treatments of Menorrhagia & Metrorrhagia in Acupressure	23
1) Excess type अधिकता जनित	
A) Blood heat causes flooding suddenly, before time, bleeding after periods also with feeling of heat :	
B) Blood empty heat causes sudden flooding outside the time of proper period or trickling for many days after the period with feeling of heat in the evening	24
C) Stasis of blood in uterus causes period to be hesitant starting and stopping, period seem to stop then starts again with a flood, trickling for a long time after the period :	26
D) Humid heat in the uterus causes the menstrual bleeding to be either scanty or abundant and bleeding on mid cycles	27
2) Deficiency type कमीजनित प्रकार	29
A) Spleen not holding blood causes flooding at the beginning of the period which then stops and goes on with a trickle for a long time after the period proper	
B) Deficiency of kidney yang causes prolonged bleeding with a trickle for a long time after the proper period, periods coming late	30
C) Kidney yin deficiency causes trickling of blood after the period proper, late cycle with fresh red and watery blood	31
Menopause प्रारम्भ होने के समय उपरोक्त उपचार देने से आशातीत लाभ मिलता है।	
Prognosis रोग का पूर्वानुमान	33
Prevention रोकथाम	

Chapter-4

Dysmenorrhea (दर्दीला मासिक धर्म)	36
Diagnosis of dysmenorrhea दर्दीले मासिक धर्म का रोग निदान	
1) Time and Pain समय एवं दर्द	

2) Pressure दबाना	
3) Hot and Cold गर्मी एवं ठण्डी	37
4) Type of Pain दर्द का प्रकार	
5) Location of Pain दर्द का स्थान	
6) Cycle मासिक चक्र	38
<i>Two types of dysmenorrhea :</i>	
1) Primary dysmenorrhea प्राथमिक दर्दिला मासिक धर्म	
2) Secondary dysmenorrhea माध्यमिक दर्दिला मासिक धर्म	
Principles & priority in the treatment of dysmenorrhea	
Causes of dysmenorrhea	39
Patterns of dysmenorrhea	
A) Excess Type of Dysmenorrhea	
1) Stagnation of Qi and Blood causes dysmenorrhea during or one to two days before the period, distension of breasts and abdomen.	40
2) Stasis of blood due to cold in blood causes lower abdomen pain before or after the period, pain more central, pain relieved by application of heat, feels cold.	42
3) Accumulation of humid heat in uterus causes hypogastric pain before the period, sometimes on mid cycle, burning sensation goes upto sacral.	43
B) Deficiency Type of Dysmenorrhea	
1) Qi and Blood deficiency causes dull hypogastric pain at the end or after the periods, pain relieved by pressure and massage, scanty bleeding.	44
2) Kidney and Liver yin deficiency causes dull hypogastric pain at the end of or after the period, scanty periods, pain relieved by massage or pressure.	46

Chapter-5

Premenstrual Syndromes (P.M.S.) (मासिक पूर्व के लक्षण)	50
P.M.S. के symptoms	
Causes of P.M.S. मासिक पूर्व के लक्षणों के कारण	51
Patterns of treatment of P.M.S.	52
1) Excess type of P. M. S.	
A) Stagnation of Liver Qi causes abdominal and breast distension before periods with irritation, mood swings and hypochondrial distension P.M.S. के 50% रोगी इस उपचार से ठीक हो सकते हैं। कुंवारी कन्याओं के P.M.S. का उपचार यहाँ करें।	
B) Phlegm fire attacking upwards causes premenstrual agitation, depression, a feeling of oppression in chest and blood shot eyes. P.M.S. के समय महिला उग्र हो जाये, चिल्लाने लगे, डांटने व मारने लगे तो इसका उपचार यहाँ करें।	53

2) Deficiency type of P. M. S.	
A) Liver blood deficiency causes depression and weepiness before periods, slight breast distension, scanty periods, poor sleep and dizziness. प्रसव के बाद अथवा वर्षों पुराने P.M.S का उपचार यहां करें।	55
B) Liver and Kidney yin deficiency causes slight breast distension and irritation before periods, backache, knee pain, dry eyes and blurred vision.	56
C) Spleen and kidney yang deficiency causes slight premenstrual tension with depression and weeping, slight abdominal and breast distension with a feeling of cold.	57
इसमें महिला को मासिक के समय बहुत ठण्ड लगती है।	
Prognosis	58

Chapter-6

Abnormal Vaginal Discharge असामान्य योनि स्राव :	61
It is also called leukorrhea :	
1) Spleen yang deficiency causes copious (बहुत ज्यादा) and persistent (लगातार) vaginal discharge, white or pale yellow, viscid (गाढ़ा) and with no foul odor.	62
2) Kidney yang deficiency causes white, thin but copious (बहुत ज्यादा) and dribbling all day long vaginal discharge.	63
3) Kidney yin deficiency causes vaginal discharge red and white, slightly viscid (थोड़ा गाढ़ा), without foul odor.	64
4) Humid heat in lower warmer causes vaginal discharge of copious (बहुत ज्यादा), yellow or mixed yellow and white, viscid (गाढ़ा) and foul fluid (दुर्गन्धित द्रव)	65
5) Humid heat poison in lower warmer causes copious (ज्यादे मात्रा में), mixed coloured or multi-coloured, viscid (गाढ़ा), pus like, putrid foul discharge (दुर्गन्धित, सड़ी गंध का योनि स्राव)	66

Chapter-7

Abnormal Menstruation असामान्य मासिक धर्म :	71
1) Early menstruation समय से पहले मासिक होना	
2) Delayed menstruation विलम्ब से मासिक होना	
3) Irregular cycles of menstruation अनियमित मासिक चक्र	72
4) Excessive menses अत्यधिक मासिक स्राव	
5) Decreased menses कम मासिक स्राव	73
6) Prolonged menstruation मासिक स्राव लम्बी अवधि तक चलना	
<i>Categories of abnormal menstruation :</i>	74
1) Abnormal menstruation of excess type.	
2) Abnormal menstruation of deficiency type	

Patterns and treatments of abnormal menstruation :

- 1) Spleen Qi deficiency causes Qi deficiency and blood deficiency leading to late menstruation or decreased menstruation. 75
- 2) Kidney deficiency causes abnormal menstruation. 77
- 3) Deficiency of blood causes delayed and decreased menses with light coloured and thin menses without clots. 78
- 4) Heat in blood : 79
 - a) Full heat in blood causes early menstruation or excessive menses.
 - b) Empty heat in blood due to deficiency of yin causes early menstruation or prolonged menstruation. 81
- 5) Cold in blood level : 82
 - a) Full cold in blood level causes delayed and decreased menses.
 - b) Empty cold in blood level also causes delayed and decreased menses.
- 6) Stagnation of Qi and blood causes irregular menstruation, sometimes early and sometimes delayed. 84

Chapter-8

- a) **Liver Qi stagnation may cause irregular menstruation, sometimes early and sometimes delayed.**
- b) **Stasis of blood causes prolonged menstruation.**

Amenorrhoea रजोलोप : 89

What is amenorrhoea?

- 1) Primary amenorrhoea
- 2) Secondary amenorrhoea

Amenorrhoea due to deficiency : 90

- i) Deficiency of liver and kidney causes amenorrhoea with delayed menarche or the progressive reduction in amount, eventually ending with amenorrhoea. 91
- ii) Deficiency of Qi and blood causes amenorrhoea with progressively longer menstrual cycle and decreased in amount. 93
- iii) Deficiency of blood due to yin deficiency causes amenorrhoea with progressive less menses ceasing altogether. 94

Amenorrhoea due to excess :

- i) Accumulation of phlegm humidity causes secondary amenorrhoea with increased vaginal discharge. 95
- ii) Stasis of blood due to cold in blood causes secondary amenorrhoea with cold pain in lower abdomen. 97
- iii) Stagnation of Qi and stasis of blood causes secondary amenorrhoea with lower abdominal pain. 98

Chapter-9

Anovulatory functional uterine bleeding	103
वास्तविक मासिक धर्म के अलावा अन्य समय में गर्भाशय से रक्तस्राव होना	
Symptoms in anovulatory functional uterine bleeding :	
Patterns and treatment :	
1) Kidney yang deficiency may cause unexpected and persistent uterine bleeding of light coloured and thin blood.	105
किडनी यांग की कमी से अनापेक्षित, ज्यादा और लम्बे समय तक चलने वाला गर्भाशय से रक्तस्राव होता है जिसमें हल्के रंग का पतला रक्त आता है।	
2) Kidney yin deficiency may cause unexpected persistent uterine bleeding of red coloured and viscid blood.	106
किडनी यिन की कमी से अनापेक्षित, ज्यादा और लम्बे समय तक चलने वाला लाल रंग का गाढ़ा गर्भाशय से रक्तस्राव होता है।	
3) Spleen not controlling the blood causes unexpected uterine bleeding that is large in amount and persistent and the blood is light coloured and thin .	108
प्लीहा के रक्त पर नियंत्रण न रख पाने से अनापेक्षित, ज्यादा और लम्बे समय तक चलने वाला हल्के रंग का पतला रक्तस्राव काफी मात्रा में होता है।	
4) Heat in blood causes unexpected uterine bleeding that is large in amount and persistent and the blood is of deep red colour and viscid.	109
रक्त में गर्मी होने से अनापेक्षित, ज्यादा व लम्बे समय तक गहरे लाल रंग का गाढ़ा रक्तस्राव होता रहता है।	
5) Stasis of blood causes unexpected and persistent uterine bleeding, which may be large or small in amount with lower abdominal pain.	111
रक्त में रूकावट होने से अनापेक्षित, ज्यादा व लम्बे समय तक चलने वाला रक्तस्राव होता है जिसकी मात्रा कम या ज्यादा होती है तथा साथ में पेट दर्द होता है।	

Chapter-10

Angina Pectoris (हृदय शूल)	116
Main symptoms of angina pectoris हृदय शूल के मुख्य लक्षण	
i) In mild cases of angina pectoris मन्द हृदय शूल में	
ii) In severe cases of angina pectoris तीव्र हृदय शूल में	117
iii) In the gravest case of angina pectoris हृदय शूल के गंभीरतम स्थिति में	
Analysis of causes of angina pectoris हृदय शूल के कारणों का विश्लेषण	
Deficiency or excess as cause of angina कमी या अधिकता से हृदय शूल होना	118
What causes angina pectoris हृदय शूल क्यों हो जाता है ?	119
Treatment of angina pectoris हृदय शूल का उपचार	121
Pattern and treatment of angina pectoris हृदय शूल के प्रकार एवं उपचार	121
1) Blood stasis & Qi stagnation causes chest tightness as though being suffocated & stabbing or intermittent colicky chest pain with fixed location	122

2)	Gelling of yin cold in interior causes chest tightness with short breath and palpitation	
3)	Obstruction of turbid phlegm causes chest tightness, suffocation or pain going to back with cough producing much white sputum	123
4)	Deficiency of heart & kidney yin causes cardiac pain or chest tightness, dizziness with tinnitus, fever with dry mouth	124
5)	Deficiency of both Qi & yin causes chest tightness or intermittent cardiac pain	124
6)	Heart yang deficiency causes chest tightness or intermittent heart pain, palpitation, short breath with cold limbs	125
7)	Heart yang on verge of collapse causes all four limbs cold, severe palpitation & dyspnea	126
8)	Qi deficiency & blood stasis causes chest tightness, heart pain, short breath & sweating	127

Chapter-11

Palpitation of Heart (हृदय में धड़कन बढ़ना)	130
What is palpitation of heart?	
Main symptoms मुख्य लक्षण	
The palpitation of heart may be of the following thirteen patterns हृदय की धड़कन निम्नलिखित ग्यारह प्रकार की हो सकती है	131
1) Deficiency of Heart Qi causes light and occasional only day time palpitation on exertion.	132
2) Deficiency of heart yang causes increased palpitation in daytime with cold limbs & missing pulse.	133
3) Deficiency of heart blood causes mild palpitation in the evening with dizziness.	135
4) Deficiency of Heart yin causes night time palpitation, with fearfulness.	136
5) Deficiency of both Heart and Spleen Qi causes severe palpitations in the morning with shortness of breath and abdominal distension with anorexia.	137
6) Liver and Kidney yin deficiency causes severe night palpitation with insomnia and five heart heat.	138
7) Spleen and Kidney yang deficiency causes severe day time palpitation with shortness of breath with disinclination to talk and feeling of cold.	140
8) Turbid phlegm (गंदला बलगम) blocking heart causes severe palpitation with shortness of breath and fullness of chest and much sputum (बलगम).	141
9) Obstruction of blood vessels causes severe palpitation with frequent heart pain, shortness of breathing or cold body and limbs.	142
10) Heart fire blazing causes severe palpitation with extreme anxiety, insomnia and mental restlessness.	143
11) Phlegm fire harassing the heart causes severe palpitation with violent behaviour, insanity and manic depression.	145

12) Heart blood stasis causes severe palpitation with angina pain, cyanosis of lips and nails and purple tongue	147
13) Heart yang collapse causes severe palpitation, cyanosis of lips, cold limbs and coma	148
Causes of palpitation धड़कन बढ़ने के कारण	

Chapter-12

Bleeding रक्तस्राव :	158
Causes of bleeding रक्तस्राव के कारण :	
<i>Pathology रोग ज्ञान :</i>	159
1) Qi deficiency causes downward bleeding in stool, urine or excessive menstrual bleeding.	159
2) Heat in blood causes both upward and downward bleeding.	159
3) Empty heat due to deficiency of yin causes scanty bleeding.	159
4) Stasis of blood causes bleeding from uterus, intestines, urinary bladder or under the skin with dark blood with clots and pain.	159
<i>Acupressure points to stop bleeding :</i>	161
1) Xi Cleft points of yin and yang organs stop bleeding instantaneously in many cases.	
2) Passage points of yin organ help stop chronic bleeding with stasis of blood.	

Chapter-13

Bleeding gums मसूड़ों से रक्त आना:	
1) Stomach heat causes painful and swollen gums with profuse gums bleeding.	168
2) Stomach yin deficiency producing empty heat causes slight bleeding from gums.	169
3) Spleen and stomach deficiency causes chronic but slight bleeding from the gums.	
170	

Chapter-14

Bleeding under the skin चर्म के नीचे रक्तस्राव होना :	
1) Blood heat causes bright purple spots under the skin.	172
2) Deficiency of yin producing empty heat causes scarlet red spots under the skin.	173
3) Deficient and weak Qi not holding blood causes pale and red spots under the skin.	175

Chapter-15

Blood in stool मल में रक्त आना :	177
1) Humid heat in intestines causes bright red or slightly dark red blood in the stools.	178
2) Spleen and stomach deficiency causes profuse fresh blood in stool.	179

Chapter-16

Coughing blood खांसी के साथ रक्त आना :	181
1) Wind dry heat in lungs causes cough with blood streaked sputum or nose bleed.	
2) Liver fire attacking lungs causes cough with fresh red blood in sputum.	182
3) Lungs yin deficiency producing empty heat causes scanty blood streaked sputum with cough.	183

Chapter-17

Incontinence of Urine (पेशाब को रोक न पाना)	185
Incontinence of Urine पेशाब को रोक न पाना	
Enuresis पेशाब अपने आप निकल जाता है	
Urgency of urination पेशाब करने की जल्दी	
Slightly incontinent थोड़ा पेशाब को रोक न पाना	
Aetiology (रोगकारण), pathology (रोग विज्ञान) and treatment of enuresis, incontinence, urgency of urination, slightly incontinent on coughing	
Causes of incontinence & enuresis	186
Patterns & Treatments of Incontinence of Urine	
1) Deficiency type of incontinence कमी के कारण पेशाब को न रोक पाना	
A) Lungs Qi deficiency causes slight incontinence of urine on coughing or sneezing.	186
B) Spleen Qi deficiency causes slight incontinence with loose stools.	188
C) Kidney yang deficiency causes incontinence of urine in old people & bed wetting in quiet & shy children.	188
D) Kidney yin deficiency causes incontinence of urine but in small quantity & dribbling after urination.	190
2) Excess type of incontinence	191
A) Liver fire attacking downwards causes bed wetting in tense, hyperactive & nervous children with grinding of teeth at night.	193
Prognosis of incontinence of urine	

Chapter-18

Headache (सिरदर्द)	195
Diagnosis of Headache सिरदर्द का रोग निदान	
1) Diagnosis according to the location of pain in the head सिर में दर्द के स्थान के अनुसार रोग निदान	195
2) Diagnosis according to type of pain in head सिर में दर्द के प्रकार के अनुसार रोग निदान :	198
3) Diagnosis according to amelioration (relief) and aggravation of headache सिरदर्द के घटने और बढ़ने के लक्षण के अनुसार रोग निदान	201
4) Diagnosis according to internal organs by identifying the patterns of headache सिरदर्द के प्रकार को पहचान कर शरीर के अन्दरूनी आर्गन्स के अनुसार रोग निदान	203
A) General principles of treatment of headache सिरदर्द के उपचार के सामान्य सिद्धान्त	
B) Differentiation & treatment of headache विभिन्न प्रकार के सिरदर्द में विभेद एवं उनका उपचार	
1) External conditions causing excess type of headaches. बाहरी दशाएं जो excess type का सिरदर्द कर देती हैं।	204
i) Attack of external wind cold on greater yang channels causes a very severe headache with stiff neck & stiff achy shoulders	204
ii) Attack of external wind heat causes distending headache (फैला हुआ सिरदर्द) which is felt inside the head	206
iii) Attack of external wind dampness causes headache with a feeling of heaviness (भारीपन)	208
2) Excess type of internal conditions causing headaches	209
i) Liver yang rising causes intense (प्रचण्ड), severe (तीव्र), throbbing (टपकनयुक्त) and distending (फैला हुआ) headache affecting one or both side of head or temples or eyebrows.	209
ii) Liver fire causes more intense (अधिक प्रचण्ड), throbbing (टपकन युक्त), distending (फैला हुआ), pulsating (स्पन्दन युक्त) or bursting (फटन युक्त) headache and the pain tends to be fixed in one place & more frequently is accompanied by nausea or vomiting.	213
iii) Liver wind rising causes headache in the whole head with pulling pain (खिंचावयुक्त दर्द) and is accompanied by severe giddiness (तीव्र चक्कर)	215
iv) Liver Qi stagnation causes throbbing (टपकन युक्त) headache on the forehead or temples which moves from one side to another	216
v) Stagnation of cold in liver causes headache on the top of the head	218
vi) Attack of internal dampness causes dull headache and a feeling as if the head was wrapped in a cloth or the head is full of cotton wool.	219
vii) Internal attack of turbid phlegm (गंदला बलगम) causes dull headache (मन्द सिरदर्द) with a feeling of heaviness & muzziness with blurred	

vision & dizziness.	221
viii) Attack of internal turbid phlegm (गंदला बलगम) wind causes headache and indicate likelihood of wind stroke in old people if it accompanies twitching (फड़कन) anywhere in face, eye, jaw etc. :	223
ix) Retention of food causes intense pain in forehead which aggravates on eating	225
x) Stasis of blood causes severe & intense headaches always at a fixed location	226
xi) Attack of internal stomach heat causes intense headache on the forehead	228
2) Internal conditions causing deficiency type of headaches	230
A) Qi deficiency type of headache is dull in nature & may be in whole head or only in forehead and is worse in the morning :	230
B) Blood deficiency type of headache are on the top of the head which is worse in the afternoon or evening	231
C) Kidney deficiency type of headaches occur after sexual activity and are inside the brain & are accompanied by emptiness of brain	232
Prognosis of headaches सिरदर्द का पूर्वानुमान	235
Prevention of headaches सिरदर्द की रोकथाम	235
Aetiology of Headaches सिरदर्द का रोग कारण विज्ञान	235
Summary of headaches, their symptoms & treatment	239
Some important words related to headaches	244
Treat HBP or LBP according to symptoms of headache	

Chapter-19

Sinusitis (शिरानाल शोथ)	246
Acute sinusitis	247
Chronic sinusitis	247
Aetiology of Sinusitis साइनोसाइटिस का रोगकारण विज्ञान	248
Diet आहार	248
Patterns of sinusitis and their treatments	248
<i>There are four patterns of sinusitis साइनोसाइटिस चार प्रकार की होती है</i>	
1) Attack of external wind-heat on lungs causes an acute attack of sinusitis.	249
2) Heat in lungs causes chronic sinusitis with tenderness on maxillary sinus.	250
3) Liver & Gall bladder fire rises to the nose & brain and causes sinusitis with headache on temples and cheeks, red eyes & face.	251
4) Humid heat in stomach and spleen causes chronic sinusitis with frontal headache and heaviness of head & chest.	252
Prognosis of treatment of sinusitis साइनस उपचार का पूर्वानुमान	253

Chapter-20

Allergic Rhinitis (एलर्जी जनित नासिका प्रदाह)	255
Main Symptoms मुख्य लक्षण	
Causes of Allergic rhinitis एलर्जी जनित नासिका प्रदाह के कारण	255
Treatment of allergic rhinitis एलर्जी जनित नासिका प्रदाह का उपचार	257
<i>Allergic rhinitis may be of two types :</i>	
1) Seasonal allergic rhinitis मौसमी एलर्जी जनित नासिका प्रदाह	257
A) Attack of seasonal wind cold causes allergic rhinitis with sneezing and profuse white watery discharge.	257
B) Attack of external wind heat causes seasonal allergic rhinitis with sneezing, runny nose and itchy nose, throat and eyes. Treat Hay fever here	258
C) Deficiency of lung and kidney's defensive Qi system and the governing vessel is the root cause of seasonal allergic rhinitis.	259
2) Perennial allergic rhinitis साल भर रहने वाली एलर्जिक नासिका प्रदाह	261
Deficiencies of lungs and kidneys defensive Qi system and the governing vessel cause perennial allergic rhinitis.	

Chapter-21

Breathlessness (सांस फूलना)	265
Causes of breathlessness सांस फूलने के कारण	265
Differentiate between excess type and deficiency type of breathlessness	268
Principles of treatment of excess type of breathlessness	268
Patterns of breathlessness :	269
Excess type of breathlessness	271
1) Wind cold attacks the lungs and causes acute breathlessness with shivering and thin white sputum.	271
2) Wind cold in the exterior and phlegm fluids in the interior causes acute breathlessness with cough, profuse, white watery, sputum and difficulty in lying down and swelling of limbs.	272
3) Cold in the exterior, heat in the interior causes acute breathlessness with coarse breathing, vomiting of sticky phlegm and runny nose.	274
4) Phlegm heat in lungs causes breathlessness with cough and profuse thick yellow or blood tinged sputum.	275
5) Turbid phlegm (गंदला बलगम) in the lungs causes breathlessness with difficulty in exhalation (सांस छोड़ने में परेशानी).	277
6) Lungs Qi obstruction causes sudden attack of breathlessness with a feeling of suffocation (सांस घुटने की अनुभूति).	278
7) Liver fire attacking lungs causes attack of breathlessness precipitated by emotional stress.	279

Deficiency type of breathlessness	280
1) Lungs Qi deficiency causes shortness of breath with weak lung sounds and weak voice.	280
2) Lungs Yin deficiency causes chronic breathlessness with dry cough.	281
3) Lungs and kidney yang deficiency causes chronic breathlessness with difficulty in inhalation (सांस लेने में परेशानी).	282
4) Lungs and kidney yin deficiency causes chronic breathlessness with difficulty in inhalation and dry cough.	284
5) Lungs and kidney yang deficiency, fluids overflowing to heart and lungs causes chronic breathlessness with cough and expectoration of white watery sputum.	285
6) Lungs, Heart, Kidney yang deficiency, fluids overflowing to Heart, causes chronic breathlessness with purple face, lips and nails with white watery sputum.	286

Chapter-22

Wheezing (सांय-सांय करता हुआ सांस)	292
Pathology	293
Treatment procedure of wheezing	294
Patterns of treatment of wheezing	294
1) Acute phase of wheezing	
A) Cold phlegm causes wheezing with rapid breathing, feeling cold and is worse in cold weather	295
B) Hot phlegm causes wheezing with loud noise, breathlessness and cough with yellow sputum	296
This formula treats chest infections and non allergic late onset asthma from hot phlegm.	
2) Chronic phase of wheezing	297
A) Lung deficiency causes slight wheezing with a low sound with prone to catching cold and sneezing	298
B) Spleen deficiency causes slight wheezing that has a low sound, poor appetite, tiredness and intolerance to certain foods	299
C) Kidney deficiency causes slight wheezing that has a low sound with greater difficulty in inhaling	300
Prognosis and prevention of wheezing	301

Chapter-23

Cough (खांसी)	305
Diagnosis of Cough in Acupressure एक्यूप्रेसर में खांसी का रोग निदान	305
1) Sound of Cough खांसी की आवाज	
2) Time of Occurrence of Cough खांसी आने का समय	306

3) Type of Sputum बलगम का प्रकार	
Prognosis रोग का पूर्वानुमान	307
<i>Two phases of cough खांसी के दो चरण</i>	
1) Acute phase of cough खांसी का उग्र चरण	308
i) External acute cough बाहरी कारणों से होने वाली उग्र खांसी	309
a) Attack of external wind-cold with prevalence of cold (ठण्ड की अधिकता) causes acute cough with sneezing, runny nose with white discharge.	309
b) Attack of external wind heat causes acute dry cough with sore throat.	310
c) Attack of external wind-dryness causes acute dry and ticklish cough with dry itchy sore throat.	312
ii) Interior acute cough अन्दरूनी कारणों से होने वाली उग्र खांसी	313
a) Internal lung heat causes acute barking cough.	313
b) Internal lung phlegm heat causes acute barking cough with profuse sticky yellow sputum coming out.	314
2) Two types of Chronic cough	
i) Excess type of chronic cough अधिकता के कारण होने वाली पुरानी खांसी	316
a) Humid phlegm in the lungs causes repeated attacks of cough with profuse white sticky sputum coming out worse in the morning and after eating.	316
b) Phlegm heat in the lungs causes repeated attacks of barking cough with profuse yellow or blood tinged purulent sputum.	317
c) Phlegm fluids in the lungs causes cough with low sound and white watery dilute sputum.	318
d) Liver fire attacking the lungs causes sudden bout of cough with red face and expectoration of scanty phlegm and hypochondrial pain.	319
ii) Deficiency type of chronic cough कमी के कारण होने वाली पुरानी खांसी	320
a) Lungs Qi deficiency causes slight cough with low sound, no phlegm and propensity to catching cold.	320
b) Lung yin deficiency causes dry cough with low sound with short periods, no phlegm or scanty phlegm with a feeling of heat in the evening.	321
c) Lung dryness causes dry cough with low sound dry throat and mouth.	323

Chapter-24

Hypochondrial Pain (कोख में दर्द)	332
1) Excess type अधिकता जनित	
A) Stagnation of liver Qi causes hypochondrial pain and distension which is related to emotional problems :	332
लीवर में ऊर्जा की रूकावट के कारण कोख में दर्द व तनाव होना जो मनोभावों की समस्याओं से सम्बन्धित होता है :	
B) Stasis of blood in liver causes stabbing and fixed hypochondrial pain	

which is worse at night	334
लीवर में रक्त की रूकावट के कारण कोख में एक स्थान पर छूरा भौंकने की तरह दर्द होना जो रात में बढ़ जाता है	
This formula treats masses (गांठें) acute & chronic constipation and emotional depression due to liver blood statis.	
C) Humid heat in liver & Gall bladder causes dull hypochondrial pain and fullness with a feeling of heaviness :	335
लीवर एवं गाल ब्लैडर में नमगर्मी बढ़ने से कोख में मन्द दर्द तथा भरापन लगना तथा भारीपन की अनुभूति होना	
2) Deficiency type कमी जनित	337
A) Liver blood deficiency causes slight hypochondrial pain and distension with frequent sighing	337
लीवर में रक्त की कमी से कोख में मामूली दर्द एवं तनाव के साथ अक्सर टसकन होती रहती है	
B) Deficiency of liver yin causes slight hypochondrial pain with dry skin, throat, eyes & hair	338
लीवर यिन की कमी से कोख में मामूली दर्द होना तथा चर्म, गला, आंखें एवं बाल सूख जाना	

Chapter-25

Lower Backache (कमर दर्द)	341
उपचारकों को कमर दर्द के सम्बन्ध में जानने योग्य बातें	341
Aetiology रोगकारण विज्ञान	341
Types of Lower Backache कमर दर्द के प्रकार	
1) Lower backache due to retention of Damp Cold. नम ठण्ड की रूकावट के कारण कमर दर्द।	342
2) Lower backache due to stagnation of Qi & Blood. Qi & Blood की रूकावट के कारण कमर दर्द।	343
3) Lower backache due to Kidney Deficiency. किडनी में ऊर्जा की कमी के कारण कमर दर्द।	343
Diagnosis of Lower Backache कमर दर्द का रोग निदान	344
1) Acute lower backache उग्र कमर दर्द	347
2) Chronic lower backache पुराना कमर दर्द	348
A) If the backache is on the midline over the spine.	
B) If the pain in lower back starts on one side only.	
C) When the backache radiates towards the hip.	
D) Chronic backache starting from midline use H 7 & Sp 3 as follows	349
E) Chronic lower backache का उपचार करते समय ध्यान रखने योग्य बातें	350
F) Local points for chronic low backache	
G) Lower backache due to kidney yin deficiency	350

H) Lower backache due to kidney yang deficiency	351
Chapter-26	
Chronic pelvic inflammation पुराना तलपेट प्रदाह :	354
Meaning of pelvic inflammation :	354
<i>Clinical symptoms of pelvic inflammation :</i>	354
1) Attack of internal humid heat on the lower warmer causes burning pain in lower abdomen extending to lower back and sacrum.	355
2) Attack of external humid cold on the lower warmer causes cold pain in the lower abdomen in a fixed location.	356
3) Stagnation of Qi and stasis of blood in lower warmer causes distending pain in the lower abdomen.	357
4) Deficiency of kidney yang with blood stasis causes cold pain in the lower abdomen which is relieved by warmth and pressure.	358
5) Deficiency of blood in lower warmer causes a vague lower abdominal pain with preference for pressure.	359
Chapter-27	
Flaccidity शिथिलता :	363
1) Consumption of body fluids by lung heat causes abrupt flaccidity and weakness of the limbs after high fever.	364
2) Attack of humid heat on the body causes flaccidity, heaviness and numbness of lower limbs.	365
3) Deficiency of spleen and stomach causes weakness of all four limbs initially and flaccidity and debility of the limbs finally.	366
4) Deficiency of kidney and liver yin causes slow onset flaccidity and weakness of the lower limbs with inability to stand for a long time.	367
Chapter-28	
Dizziness & Vertigo (भंवरी और चक्कर आना)	370
Dizziness भंवरी	
Vertigo चक्कर आना	
Aetiology (रोग कारण विज्ञान) & pathology of Dizziness & Vertigo	371
Patterns of dizziness & vertigo	
Patterns & treatments of dizziness & vertigo	375
1) Excess type of dizziness & vertigo	375
a) Liver yang rising or liver fire blazing or liver wind rising causes very severe dizziness or vertigo.	376
b) Turbid phlegm in the head causes dizziness or vertigo with heaviness & muzziness of head.	378

2) Deficiency type of dizziness & vertigo	380
a) Qi & blood deficiency causes slight dizziness or vertigo sometimes only on change of posture.	380
b) Deficiency of kidney essence causes persistent dizziness or vertigo with a feeling of emptiness in the brain.	381

Chapter-29

Senile Dementia बुढ़ापे की विकृष्टि :	386
1) Stagnation of phlegm and Qi in brain causes senile dementia with alternate joy.	387
2) Deficiency of heart and spleen causes senile dementia with fright, melancholy and cry.	388
3) Deficiency of kidney essence and brain marrow causes senile dementia with dizziness, tinnitus and amnesia.	389

Chapter-30

Anorexia भूख न लगना :	390
Clinical symptoms of anorexia :	390
1) Deficiency of spleen and stomach causes anorexia with loose stools containing undigested foods and lassitude.	391
2) Retention of food and milk causes anorexia, rejection of food, vomiting of food and milk, sour odor of curdled milk and malodorous.	392
3) Deficiency of stomach yin causes poor appetite, dry lips and mouth and dry constipation.	393

Chapter-31

Dysentery पेचिश :	395
1) Characteristic features	395
2) Characteristic of tenesmus	396
3) Urgency severity of disease	397
<i>Patterns and treatments of dysentery :</i>	
1) Humid heat in intestines causes red and white Dysentery with grain of blood or pus and blood, tenesmus and burning in anus with abdominal pain.	401
2) Humid Cold in intestines causes white dysentery, tenesmus and spastic abdominal pain.	401
3) Fulminant (उग्र) dysentery causes sudden attack of severe red and white dysentery, sometimes with clots, frequent defecation and excruciating (अत्यन्त दर्द दायक).	402
4) Dysentery with inability to eat :	404
4 i) Excess type of dysentery with inability to eat accompanied by hiccup (हिचकी) and halitosis (मुँह से दुर्गन्धित आना).	

- ii) Deficiency type of dysentery with inability to eat accompanied by nausea and vomiting after eating. 405
- 5) Recurrent dysentery recurs intermittently and persists for many years.
- 6) Deficiency of yin causes protracted and refractory (दीर्घ कालीन एवं हठी) red and white dysentery with acute lower abdominal pain and inability to defecate. 406
- 7) Empty cold causes protracted and unresponsive dysentery producing thin faeces with white gel like grains. 407

Chapter-32

- Profuse sweating अत्यधिक पसीना आना :** 411
- What is spontaneous sweating? स्वतः स्फूर्त पसीना किसे कहते हैं? 411
- What is night sweating? रात्रि पसीना किसे कहते हैं? 411
- Diagnosis of profuse sweating अत्यधिक पसीने का रोग निदान :* 412
- 1) Lungs Qi deficiency causes spontaneous sweating with wind aversion aggravated by any activity. 413
 - 2) Disharmony between nutritive and defensive Qi causes abnormal spontaneous sweating with wind aversion or regional sweating. 414
 - 3) Heart blood deficiency causes spontaneous sweating or night sweating with palpitation and insomnia. 415
 - 4) Deficiency of yin producing empty heat causes night sweating, sometimes spontaneous sweating as well with five palm heat. 416
 - 5) Liver fire or humid heat evaporates fluids and causes profuse sweating, sweat is of yellow colour and stains clothing. 417
 - 6) Spleen Qi deficiency causes profuse sweating on the hands and feet with loose stools, tiredness and weakness. 418
 - 7) Stasis of blood producing blockages causes spontaneous or night sweating with chest discomfort, cyanotic tongue. 418

Chapter-33

- Diabetes मधुमेह :** 422
- Types of diabetes, their symptoms and treatments :
- 1) Upper Diabetes 424
 - 2) Middle Diabetes 426
 - 3) Lower Diabetes 427
- Diabetic complication 429